

<b>L2</b>			
ML-IPSW2210	PWR2200.	Ethernet L2: 8*10/100 (RJ-45), 2*1000 SFP, 1*	
ML-IPSW2218	PWR2200.	Ethernet L2: 16*10/100 (RJ-45), 2*Combo 1000 (RJ-45/SFP), 1*	
ML-IPSW2226	PWR2200.	Ethernet L2: 24*10/100 (RJ-45), 2*Combo 1000 (RJ-45/SFP), 1*	
ML-IPSW2226F	PWR2200.	Ethernet L2: 24*100 (SFP), 2*Combo 1000 (RJ-45/SFP), 1*	
ML-IPSW2510	PWR2500.	Ethernet L2: 8*10/100/1000(RJ-45), 2*1000 (SFP), 1*	
ML-IPSW2528	PWR2500.	Ethernet L2: 24*10/100/1000 (RJ-45), 4*1000 (SFP), 1*	
ML-IPSW2528GX	PWR2500.	Ethernet L2: 24*100/1000 (SFP), 4*Combo 1000 (RJ-45/SFP), 1*	
ML-IPSW2556	PWR2500.	Ethernet L2: 48*10/100/1000 (RJ-45), 8*1000 (SFP), 1*	
ML-IPSW2928	(SFP+), 1*	Ethernet L2: 20*10/100/1000 (RJ-45), 4*10/100/1000 (SFP), 4*Ethernet 1000/10G (mini-USB); AC.	
ML-IPSW2928F	(SFP+), 1*	Ethernet L2: 16*100/1000 (SFP), 8*Combo 100/1000 (RJ-45/SFP), 4*Ethernet 1000/10G (mini-USB); AC.	
ML-IPSW2956	AC.	Ethernet L2: 48*10/100/1000 (RJ-45), 8*1000/10G (SFP+), 1* (mini-USB);	
<b>c ( , )</b>			
ML-IPSW-PWR2200-AC	AC	2100, 2200	2400 ( ).
ML-IPSW-PWR2400-AC	AC	2100, 2200	2400 ( ).
ML-IPSW-PWR2500-AC	AC	2500	( ).
ML-IPSW-PWR2200-DC	DC	2100, 2200	2400 ( ).
ML-IPSW-PWR2400-DC	DC	2100, 2200	2400 ( ).
ML-IPSW-PWR2500-DC	DC	2500	( ).
ML-IPSW-RPS200B-			

ML-IPSW-RPS200B-DC	D	
<b>L3</b>		
ML-IPSW3424H	AC.	Ethernet L3: 24*10/100 (RJ-45), 4*Combo 1000 (RJ-45/SFP), 1* ,
ML-IPSW3424H-DC	DC.	Ethernet L3: 24*10/100 (RJ-45), 4*Combo 1000 (RJ-45/SFP), 1* ,
ML-IPSW3448C	1* ,	Ethernet L3: 48*10/100 (RJ-45), 2*Combo 1000 (RJ-45/SFP), 24*100/1000 (SFP), AC.
ML-IPSW3740		Ethernet L3: 32*10/100/1000 (RJ-45), 8*1G/10G (SFP+), 1* (mini-USB). PWR3700-HS (hot-swap).
ML-IPSW3740F	1* (mini-USB).	Ethernet L3: 24*100/1000 (SFP), 8*10/100/1000 (RJ-45), 8*1G/10G (SFP+), PWR3700-HS (hot-swap).
ML-IPSW3756		Ethernet L3: 48*10/100/1000 (RJ-45), 8*1G/10G (SFP+), 1* (mini-USB). PWR3700-HS (hot-swap).
ML-IPSW3756F	(mini-USB).	Ethernet L3: 48*1000 (SFP), 4*Combo 1000 (RJ-45/SFP), 8*1G/10G (SFP+), 1* PWR3700-HS (hot-swap).
ML-IPSW3756M		Ethernet L3: 24*1000 (RJ-45), 24*1000 (SFP), 8*10G (SFP+), 1* (mini-USB), PWR3700-HS (hot-swap).
ML-IPSW5612	AC	Ethernet L3: 12*1000/10GE (SFP+), 2*40GE (QSFP+), 1* ),
ML-IPSW5612E	AC	Ethernet L3: 12*1000/10GE (SFP+), 2*40GE (QSFP+), 1* ),
ML-IPSW5832	AC,	Ethernet L3: 32*10GE (SFP+), 2*40GE (QSFP+), 1* (mini-USB),
ML-IPSW5864	AC,	Ethernet L3: 64*10GE (SFP+), 4*40GE (QSFP+), 1* (mini-USB),
<b>(hot swap)</b>		<b>3700</b>
ML-IPSW-PWR3700-HS-AC	3756M	AC hot-swap ( ) ML-IPSW: 3740, 3740F, 3756, 3756F,
ML-IPSW-PWR3700-HS-DC	3756M	DC hot-swap ( ) ML-IPSW: 3740, 3740F, 3756, 3756F,
<b>L3</b>		
ML-IPSW2516-4SFP-IND	DC+DC;	Ethernet L3: 16*10/100/1000 (RJ-45), 4*1000 (SFP), 1* ; -40 +70°C.

ML-IPSW2516-4SFP-IND-88	Ethernet L3: 16*10/100/1000 (RJ-45), 4*1000 (SFP), 1* ; 90~264VAC/88~300VDC; -40 +70°C.		
ML-IPSW2516-SM	ML-IPSW2516		
ML-IPSW2516-DM	DIN-	ML-IPSW2516	
ML-IPSW2516-RM	19"	ML-IPSW2516	
<b>L2 L2/L3 PoE</b>			
ML-IPSW2210 PoE	150 ; AC	Ethernet L2: 8*10/100 (RJ-45), 2*1000 (RJ-45/SFP Combo), 1 ,	
ML-IPSW2210- PoE	140 ; AC	Ethernet L2: 8*100 (RJ-45), 2*1000 (RJ-45/SFP Combo), 1 ,	
ML-IPSW2218 PoE	260 ; AC	Ethernet L2: 16*10/100 (PoE), 2*1000 (RJ-45/SFP Combo), 1 ,	
ML-IPSW2226 PoE	AC	Ethernet L2: 24*100 (PoE), 2*1000 (Combo), 1 , 400 ;	
ML-IPSW2510 PoE	AC.	Ethernet L2: 8*10/100/1000 (PoE), 2*100/1000 (SFP), 1 , 150 ,	
ML-IPSW2518 PoE	AC.	Ethernet L2: 16*10/100/1000 (PoE), 2*100/1000 (SFP), 1 , 330B ,	
ML-IPSW2528 PoE	AC.	Ethernet L2: 24*10/100/1000 (PoE), 4*100/1000 (SFP), 1 , 400 ,	
ML-IPSW2928 PoE	Ethernet L2: 24*1000 (PoE), 4*10GE (SFP), 1 , 400 ; AC.		
ML-IPSW2928 PoE-800	Ethernet L2: 24*1000 (PoE), 4*10GE (SFP), 1 , 800 ; AC.		
ML-IPSW3756 PoE	Ethernet L3: 48*1000 (PoE), 8*10GE (SFP), 1 (mini-USB), 2 .		
<b>PoE Hot-Swap</b>		<b>ML-IPSW3756 PoE</b>	
ML-IPSW-P E-500	ML-IPSW3756 500		
ML-IPSW-P E-1100	ML-IPSW3756 1100		